

MULTIGUN

CARTRIDGE GUN WITH ADJUSTABLE POWER

TRANSMISSION

Stepless power setting from 12/1 to 25/1.

For light sealants and heavy adhesives in standard tube.

Ergonomic lightweight design.


Rotatable tube holder.



GENERAL INFORMATION

Product description

Gun with stepless adjustable power transmission from 12/1 for the clean application of light, flexible sealant up to 25/1 for easy pumping of heavy adhesive, 2K adhesive or a chemical anchor and everything in between depending on the application. Heavy duty materials for a long life and a treated steel rod with hanging hook. Ergonomically balanced for optimal relief of fingers and wrists and a rotating tube holder to position the nozzle in the right angle.



Available packages & colors

SKU	EAN	Description
315300901	5414195013977	Multigun 310ml

TECHNICAL INFORMATION

Specifications

- Gun type: Cartridge.
- Material: Metal/plastic.
- Max. cartridge diameter: 46,2mm.
- Max. cartridge length: 216mm.
- Power transmission: Adjustable.
- Drip-stop: no.
- Powercontrol: yes.
- Suited for cartridge-sausage: Cartridges.

Technical data sheet

[multigunnovatechtecv2025-12-09-12-17-52en.pdf](#)

INSTRUCTIONS

- Open the cartridge and screw on the nozzle.
- Cut off the nozzle to the required size.
- Place the cartridge in the holder (extractor at the back).
- Turn the adjustment knob to the desired position.

The gear ratio can be read on the side under the adjustment knob.

- 12/1: X-Seal
- 18/1: Tec7
- 25/1: X-Tack