SUPER

HARD BROAD-SPECTRUM SUPERGLUE

Dow viscosity, high adhesion

For quick bonding and repair

Great power in a small pot



GENERAL INFORMATION

Product description

- Super is a cyanoacrylate-based fast curing adhesive.
- The bonding can withstand temperatures from -30°C up to + 100°C.
- Super glued joints have a high resistance to shear forces and shrink.













Available packages & colors

SKU	EAN	Description
501902000	5414195501023	Super 10ml
501903000	5414195011034	Super 20ml
501913000	5414195501139	Super 50ml

Application

To bond the majority of materials tightly, such as: plastics (with the exception of, inter alia, P.E. and P.P.), rubbers, glass, plexiglass, ceramic, wood, leather, metals, etc.

Use Aktivator when bonding porous materials (cf. Super Aktivator).

TECHNICAL INFORMATION

Specifications

Basis: cyanoacrylate.

• Form: drip bottle.

• Colour: colourless, transparent.

Viscosity: liquid.

• Density: 1.05 - 1.09 kg/dm³.

• Flash point: 87°C.

 Consumption: • 1 drop = +/- 0.02 gram, sufficient for 3 to 5 cm² adhesive surface • 1 gram = +/- 50 drops.

arops.

 Shelf life: 12 months in closed original packaging, store dry, cool and frost-free.

 Safety measures: Please consult the safety data sheet.

Safety data sheet

super-sds-en-220728.pdf

Technical data sheet

supernovatechtecv2020-03-06-14-51-06en.pdf

- Apply only on one side of a clean, dry, grease ant dust-free surface.
- The thinner the adhesive layer, the stronger the bond.
- Press firmly together for a few seconds.

© 2024 Tec7

Webdesign by Code d'Or