

# SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878



## Poxy Primer A

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** : Poxy Primer A  
**Registration number REACH** : Not applicable (mixture)  
**Product type REACH** : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1 Relevant identified uses

Impregnating agent

##### 1.2.2 Uses advised against

No uses advised against known

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier of the safety data sheet

TEC7\*  
Industrielaan 5B  
B-2250 Olen  
☎ +32 14 85 97 37  
☎ +32 14 85 97 38  
info@tec7.be  
\*TEC7 is a registered trademark of Novatech International N.V.

##### Manufacturer of the product

Novatech International N.V.  
Industrielaan 5B  
B-2250 Olen  
☎ +32 14 85 97 37  
☎ +32 14 85 97 38  
info@novatech.be

#### 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :  
+32 14 58 45 45 (BIG)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Class	Category	Hazard statements
Skin Sens.	category 1	H317: May cause an allergic skin reaction.
Skin Irrit.	category 2	H315: Causes skin irritation.
Eye Irrit.	category 2	H319: Causes serious eye irritation.

#### 2.2. Label elements



Contains: bis[4-(2,3-epoxypropoxy)phenyl]propane; oxirane, mono[[C12-14-alkyloxy)methyl] derivs..

**Signal word** Warning

##### H-statements

H317 May cause an allergic skin reaction.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.

##### P-statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear protective gloves, protective clothing and eye protection/face protection.  
P264 Wash hands thoroughly after handling.  
P302 + P352 IF ON SKIN: Wash with plenty of water and soap.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

# Poxy Primer A

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/attention.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

## 2.3. Other hazards

No other hazards known

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
bis[4-(2,3-epoxypropoxy)phenyl]propane	1675-54-3 216-823-5	30% <C<70%	Skin Sens. 1; H317 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Eye Irrit. 2; H319: C≥5%, (CLP Annex VI (ATP 0)) Skin Irrit. 2; H315: C≥5%, (CLP Annex VI (ATP 0))	(1)(2)(10)	Constituent	
oxirane, mono[(C12-14-alkyloxy)methyl] deriv. 01-2119485289-22	68609-97-2 271-846-8	1%<C<20%	Skin Sens. 1; H317 Skin Irrit. 2; H315	(1)(10)	Constituent	

- (1) For H- and EUH-statements in full: see section 16  
(2) Substance with a Community workplace exposure limit  
(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

#### After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

#### After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

#### After eye contact:

Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

#### After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.2.1 Acute symptoms

##### After inhalation:

No effects known.

##### After skin contact:

Tingling/irritation of the skin.

##### After eye contact:

Irritation of the eye tissue.

##### After ingestion:

No effects known.

#### 4.2.2 Delayed symptoms

No effects known.

### 4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### 5.1.1 Suitable extinguishing media:

Publication date: 2023-08-23

# Poxy Primer A

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (alcohol-resistant), Water spray if puddle cannot expand.

## 5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

## 5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed.

## 5.3. Advice for firefighters

### 5.3.1 Instructions:

No specific fire-fighting instructions required.

### 5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

#### 6.1.1 Protective equipment for non-emergency personnel

See section 8.2

#### 6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

### 6.2. Environmental precautions

Contain released product, collect/pump into suitable containers. Plug the leak, cut off the supply.

### 6.3. Methods and material for containment and cleaning up

Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

### 6.4. Reference to other sections

See section 13.

## SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 7.1. Precautions for safe handling

Keep away from naked flames/heat. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Observe very strict hygiene - avoid contact. Remove contaminated clothing immediately. Keep container tightly closed.

### 7.2. Conditions for safe storage, including any incompatibilities

#### 7.2.1 Safe storage requirements:

Meet the legal requirements. Keep container in a well-ventilated place.

#### 7.2.2 Keep away from:

Heat sources.

#### 7.2.3 Suitable packaging material:

No data available

#### 7.2.4 Non suitable packaging material:

No data available

### 7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 Occupational exposure

##### a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

##### Germany

Bisphenol-A-diglycidylether

vgl. Abschn. IIb

##### b) National biological limit values

If limit values are applicable and available these will be listed below.

#### 8.1.2 Sampling methods

Publication date: 2023-08-23

# Poxy Primer A

Product name	Test	Number
Diglycidyl Ether of Bisphenol A	OSHA	1018

## 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

## 8.1.4 Threshold values

### DNEL/DMEL - Workers

bis[4-(2,3-epoxypropoxy)phenyl]propane

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	4.93 mg/m <sup>3</sup>	
	Long-term systemic effects dermal	0.75 mg/kg bw/day	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	3.6 mg/m <sup>3</sup>	
	Long-term systemic effects dermal	1 mg/kg bw/day	

### DNEL/DMEL - General population

bis[4-(2,3-epoxypropoxy)phenyl]propane

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	0.87 mg/m <sup>3</sup>	
	Long-term systemic effects dermal	89.3 µg/kg bw/day	
	Long-term systemic effects oral	0.5 mg/kg bw/day	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	0.87 mg/m <sup>3</sup>	
	Long-term systemic effects dermal	0.5 mg/kg bw/day	
	Long-term systemic effects oral	0.5 mg/kg bw/day	

### PNEC

bis[4-(2,3-epoxypropoxy)phenyl]propane

Compartments	Value	Remark
Fresh water	0.006 mg/l	
Fresh water (intermittent releases)	0.018 mg/l	
Marine water	0.001 mg/l	
Marine water (intermittent releases)	0.002 mg/l	
STP	10 mg/l	
Fresh water sediment	0.341 mg/kg sediment dw	
Marine water sediment	0.034 mg/kg sediment dw	
Soil	0.065 mg/kg soil dw	
Oral	11 mg/kg food	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Compartments	Value	Remark
Fresh water	0.106 mg/l	
Marine water	0.011 mg/l	
Fresh water (intermittent releases)	0.072 mg/l	
STP	10 mg/l	
Fresh water sediment	307.16 mg/kg sediment dw	
Marine water sediment	30.72 mg/kg sediment dw	
Soil	1.234 mg/kg soil dw	

## 8.1.5 Control banding

If applicable and available it will be listed below.

## 8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

### 8.2.2 Individual protection measures, such as personal protective equipment

Observe very strict hygiene - avoid contact. Do not eat, drink or smoke during work.

#### a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

#### b) Hand protection:

Protective gloves against chemicals (EN 374).

#### c) Eye protection:

Face shield (EN 166).

#### d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

### 8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

Publication date: 2023-08-23

# Poxy Primer A

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical form	Liquid
Colour	Variable in colour, depending on the composition
Odour	Characteristic odour
Odour threshold	No data available in the literature
Melting point	No data available in the literature
Boiling point	No data available in the literature
Flammability	Not classified as flammable
Explosion limits	No data available in the literature
Flash point	> 150 °C
Auto-ignition temperature	No data available in the literature
Decomposition temperature	No data available in the literature
pH	No data available in the literature
Kinematic viscosity	No data available in the literature
Dynamic viscosity	No data available in the literature
Solubility	Water ; complete
Log Kow	Not applicable (mixture)
Vapour pressure	No data available in the literature
Absolute density	No data available in the literature
Relative density	No data available in the literature
Relative vapour density	No data available in the literature
Particle size	Not applicable (liquid)

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Heating increases the fire hazard.

### 10.2. Chemical stability

No data available.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

#### Precautionary measures

Keep away from naked flames/heat. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks.

### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

Upon combustion: CO and CO<sub>2</sub> are formed.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### 11.1.1 Test results

#### Acute toxicity

##### Poxy Primer A

No (test) data on the mixture available

Judgement is based on the relevant ingredients

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 420	> 2000 mg/kg bw		Rat (female)	Experimental value	
Dermal	LD50	OECD 402	> 2000 mg/kg bw		Rat (male / female)	Experimental value	
Inhalation (vapours)	LC0		0.000008 ppm	5 h	Rat (male)	Experimental value	

Publication date: 2023-08-23

# Poxy Primer A

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50		26800 mg/kg bw		Rat (male)	Experimental value	
Dermal	LD50		≥ 4000 mg/kg bw	24 h	Rabbit (male)	Experimental value	
Inhalation (saturated vapour)	LC0		0.15 mg/l air	7 h	Rat	Experimental value	

## Conclusion

Not classified for acute toxicity

## Corrosion/irritation

Poxy Primer A

No (test) data on the mixture available

Classification is based on the relevant ingredients

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	OECD 405		24; 48; 72 hrs; 7 days	Rabbit	Experimental value	Single exposure
Eye	Irritating; category 2					Annex VI	
Skin	Slightly irritating	OECD 404	4 h	24; 48; 72 hours	Rabbit	Experimental value	
Skin	Irritating; category 2					Annex VI	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Slightly irritating	Equivalent to OECD 405		24; 48; 72 hours	Rabbit	Experimental value	Single treatment without rinsing
Skin	Moderately irritating	EPA OTS 798.4470	24 h	24; 48; 72 hours	Rabbit	Experimental value	

## Conclusion

Causes skin irritation.

Causes serious eye irritation.

Not classified as irritating to the respiratory system

## Respiratory or skin sensitisation

Poxy Primer A

No (test) data on the mixture available

Classification is based on the relevant ingredients

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Dermal (on the ears)	Sensitizing	OECD 429			Mouse (female)	Experimental value	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Sensitizing	OECD 406			Guinea pig (male / female)		

## Conclusion

May cause an allergic skin reaction.

Not classified as sensitizing for inhalation

## Specific target organ toxicity

Poxy Primer A

No (test) data on the mixture available

Judgement is based on the relevant ingredients

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (stomach tube)	NOAEL	OECD 408	50 mg/kg bw/day	No effect	14 weeks (7 days / week)	Rat (male / female)	Experimental value	
Dermal	NOAEL systemic effects	OECD 411	100 mg/kg bw/day	No effect	13 weeks (3 times / week)	Mouse (male)	Experimental value	

Publication date: 2023-08-23

# Poxy Primer A

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (stomach tube)	NOEL	OECD 408	100 mg/kg bw/day	No effect	91 days (1x / day)	Rat (male / female)	Experimental value	
Dermal	NOEL	OECD 411	1 mg/kg bw/day	No effect	13 weeks (5 days / week)	Rat (male / female)	Experimental value	
Dermal	LOEL	OECD 411	10 mg/kg bw/day	Skin (skin rash/inflammation)	13 weeks (5 days / week)	Rat (male / female)	Experimental value	

## Conclusion

Not classified for subchronic toxicity

## Mutagenicity (in vitro)

### Poxy Primer A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

bis[4-(2,3-epoxypropoxy)phenyl]propane

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 472	Escherichia coli		Experimental value	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Result	Method	Test substrate	Effect	Value determination	Remark
Positive with metabolic activation, positive without metabolic activation	OECD 471	Bacteria (S.typhimurium)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 476	Chinese hamster ovary (CHO)		Experimental value	

## Mutagenicity (in vivo)

### Poxy Primer A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

bis[4-(2,3-epoxypropoxy)phenyl]propane

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Oral (stomach tube))	OECD 488	4 weeks (daily)	Rat (male)	No effect	Experimental value	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Intraperitoneal)	OECD 474		Mouse (male / female)	No effect	Experimental value	Single intraperitoneal injection

## Conclusion

Not classified for mutagenic or genotoxic toxicity

## Carcinogenicity

### Poxy Primer A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Dermal	NOEL	OECD 453	100 mg/kg bw/day	No carcinogenic effect	104 weeks (5 days / week)	Rat (female)	Experimental value	
Oral (stomach tube)	NOAEL	OECD 453	15 mg/kg bw/day - 100 mg/kg bw/day	No carcinogenic effect	104 week(s)	Rat (male / female)	Experimental value	

## Conclusion

Not classified for carcinogenicity

## Reproductive toxicity

### Poxy Primer A

No (test)data on the mixture available

Publication date: 2023-08-23

# Poxy Primer A

Judgement is based on the relevant ingredients  
bis[4-(2,3-epoxypropoxy)phenyl]propane

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 414	180 mg/kg bw/day	13 days (gestation, daily)	Rabbit	No effect	Experimental value	
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 414	60 mg/kg bw/day	13 days (gestation, daily)	Rabbit	No effect	Experimental value	
Effects on fertility (Oral (stomach tube))	NOEL	OECD 416	750 mg/kg bw/day	238 day(s)	Rat (male / female)	No effect	Experimental value	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 414	1000 mg/kg bw/day	14 days (6h / day)	Rat	No effect	Experimental value	
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 414	1000 mg/kg bw/day	14 days (gestation, daily)	Rat	No effect	Experimental value	
Effects on fertility (Dermal)	NOAEL (P)		200 mg/kg bw/day	10 days (6h / day)	Rat (female)	No effect	Experimental value	

## Conclusion

Not classified for reprotoxic or developmental toxicity

## Aspiration hazard

### Poxy Primer A

Judgement is based on the relevant ingredients  
 Not classified for aspiration toxicity

## Toxicity other effects

### Poxy Primer A

No (test)data on the mixture available

## Chronic effects from short and long-term exposure

### Poxy Primer A

Skin rash/inflammation.

## 11.2. Information on other hazards

No evidence of endocrine disrupting properties

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Poxy Primer A

No (test)data on the mixture available

Judgement of the mixture is based on the relevant ingredients

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LL50	OECD 203	> 100 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EL50	OECD 202	7.2 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	IC50	OECD 201	844 mg/l	72 h	Selenastrum capricornutum		Fresh water	Experimental value; GLP
	NOEC	OECD 201	500 mg/l	72 h	Selenastrum capricornutum		Fresh water	Experimental value
Toxicity aquatic micro-organisms	EC50	OECD 209	> 100 mg/l	3 h	Activated sludge	Static system	Fresh water	Read-across; GLP

## Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

### 12.2. Persistence and degradability

bis[4-(2,3-epoxypropoxy)phenyl]propane

#### Biodegradation water

Method	Value	Duration	Value determination
OECD 301F	5 %; Oxygen consumption	28 day(s)	Experimental value

Publication date: 2023-08-23



# Poxy Primer A

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

## Biodegradation water

Method	Value	Duration	Value determination
OECD 301F	87 %; GLP	28 day(s)	Experimental value

## Conclusion

### Water

Contains non readily biodegradable component(s)

## 12.3. Bioaccumulative potential

Poxy Primer A

### Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

bis[4-(2,3-epoxypropoxy)phenyl]propane

## BCF other aquatic organisms

Parameter	Method	Value	Duration	Species	Value determination
BCF		31; Fresh weight			QSAR

### Log Kow

Method	Remark	Value	Temperature	Value determination
EU Method A.8		≥ 2.918	25 °C	Experimental value

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

### Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 107		3.8	20 °C	Experimental value

## Conclusion

Does not contain bioaccumulative component(s)

## 12.4. Mobility in soil

bis[4-(2,3-epoxypropoxy)phenyl]propane

### (log) Koc

Parameter	Method	Value	Value determination
log Koc	SRC PCKOCWIN v2.0	2.65	QSAR

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

### (log) Koc

Parameter	Method	Value	Value determination
log Koc	OECD 121	> 5.6	Experimental value

## Conclusion

Contains component(s) with potential for mobility in the soil

Contains component(s) that adsorb(s) into the soil

## 12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

## 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

## 12.7. Other adverse effects

Poxy Primer A

### Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

### Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

### Groundwater

Groundwater pollutant

bis[4-(2,3-epoxypropoxy)phenyl]propane

### Groundwater

Groundwater pollutant

## SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 13.1. Waste treatment methods

#### 13.1.1 Provisions relating to waste

##### European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. The waste code must be assigned by the user, preferably in consultation with the (environmental) authorities concerned.

Publication date: 2023-08-23

# Poxy Primer A

## 13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Should not be landfilled with household waste. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

## 13.1.3 Packaging/Container

### European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10\* (packaging containing residues of or contaminated by dangerous substances).

## SECTION 14: Transport information

### Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

#### 14.1. UN number/ID number

Transport	Not subject
-----------	-------------

#### 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

Hazard identification number	
Class	
Classification code	

#### 14.4. Packing group

Packing group	
Labels	

#### 14.5. Environmental hazards

Environmentally hazardous substance mark	no
--	----

#### 14.6. Special precautions for user

Special provisions	
Limited quantities	

#### 14.7. Maritime transport in bulk according to IMO instruments

Annex II of MARPOL 73/78	Not applicable, based on available data
--------------------------	---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
0 %	

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

European drinking water standards (98/83/EC and 2020/2184)

bis[4-(2,3-epoxypropoxy)phenyl]propane

Parameter	Parametric value	Note	Reference
Bisphenol A	2.5 µg/l		Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the quality of water intended for human consumption.

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
· bis[4-(2,3-epoxypropoxy)phenyl]propane · oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	1. Shall not be used in: — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, — tricks and jokes, — games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: — can be used as fuel in decorative oil lamps for supply to the general public, and, — present an aspiration hazard and are labelled with H304, 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage";

Publication date: 2023-08-23

# Poxy Primer A

		<p>b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage";</p> <p>c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.</p>
<p>· bis[4-(2,3-epoxypropoxy)phenyl]propane · oxirane, mono[(C12-14-alkyloxy)methyl] derivs.</p>	<p>Substances falling within one or more of the following points: (a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008: — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation — skin sensitiser category 1, 1A or 1B — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2 — serious eye damage category 1 or eye irritant category 2 (b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council (c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex. The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.</p>	<p>Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2081</p>

## National legislation Belgium

### Poxy Primer A

No data available

## National legislation The Netherlands

### Poxy Primer A

Waterbezwaarlijkheid	B (3); Algemene Beoordelingsmethodiek (ABM)
----------------------	---

## National legislation France

### Poxy Primer A

No data available

## National legislation Germany

### Poxy Primer A

WGK	2; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
bis[4-(2,3-epoxypropoxy)phenyl]propane	
TA-Luft	5.2.5
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	
TA-Luft	5.2.5

## National legislation Austria

### Poxy Primer A

No data available

## National legislation United Kingdom

### Poxy Primer A

No data available

## Other relevant data

### Poxy Primer A

No data available

bis[4-(2,3-epoxypropoxy)phenyl]propane	
IARC - classification	3; Bisphenol a diglycidyl ether

## 15.2. Chemical safety assessment

No chemical safety assessment is required for a mixture.

Publication date: 2023-08-23

# Poxy Primer A

## SECTION 16: Other information

### Full text of any H- and EUH-statements referred to under section 3:

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BEI	Biological Exposure Indices
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC10	Effect Concentration 10 %
EC50	Effect Concentration 50 %
Erc50	EC50 in terms of reduction of growth rate
GLP	Good Laboratory Practice
LC0	Lethal Concentration 0 %
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
LOAEC/LOAEL	Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Publication date: 2023-08-23