SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878



TEC7 CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : TEC7 CLEANER

Registration number REACH : Not applicable (mixture)

Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Detergent according to Regulation (EC) No 648/2004

Degreasing agent

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

TEC7*

Industrielaan 5B

B-2250 Olen

2 +32 14 85 97 37

山 +32 14 85 97 38

info@tec7.be

*TEC7 is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V.

Industrielaan 5B

B-2250 Olen

2 +32 14 85 97 37

4 +32 14 85 97 38

info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):

+32 14 58 45 45 (BIG)

Ireland - Beaumont Hospital, Dublin (NPIC): +353 1 809 2166 (Pucblic 8 am- 10 pm)

Ireland - Beaumont Hospital, Dublin (NPIC): +353 1 809 2566 (Professionals)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Classified as danger	lassified as dangerous according to the criteria of Regulation (EC) NO 1272/2008					
Class	Category	Hazard statements				
Flam. Liq.	category 3	H226: Flammable liquid and vapour.				
Asp. Tox.	category 1	H304: May be fatal if swallowed and enters airways.				
STOT SE	category 3	H336: May cause drowsiness or dizziness.				
Aquatic Chronic	category 3	H412: Harmful to aquatic life with long lasting effects.				

2.2. Label elements







Contains: hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics.

Signal word Dange

H-statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

P-statements

P101 If medical advice is needed, have product container or label at hand.

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be © BIG vzw

Reason for revision: NPIC

Revision number: 1003 (supersedes revision 1002 of 2024-12-13)

Publication date: 2001-05-29
Date of revision: 2025-10-01

BIG number: 32057

P102 Reep out of reach of children.	P102	Keep out of reach of children.
-------------------------------------	------	--------------------------------

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves and eye protection/face protection.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

Supplemental information

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Gas/vapour spreads at floor level: ignition hazard

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No List No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics	927-241-2		Flam. Liq. 3; H226 Asp. Tox. 1; H304	(1)(10)	UVCB	
01-2119471843-32			STOT SE 3; H336 Aquatic Chronic 3; H412 EUH066			

⁽¹⁾ For H- and EUH-statements in full: see section 16

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

Note: numbers 9xx-xxx-x are provisional list numbers assigned by Echa pending an official EC inventory number

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

Headache. Dizziness. Drowsiness. EXPOSURE TO HIGH CONCENTRATIONS: Disturbances of consciousness.

After skin contact:

ON CONTINUOUS EXPOSURE/CONTACT: Dry skin. Cracking of the skin.

After eye contact:

Redness of the eye tissue.

After ingestion:

Risk of aspiration pneumonia.

4.2.2 Delayed symptoms

No effects known

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (not alcohol-resistant).

Reason for revision: NPIC Publication date: 2001-05-29

Date of revision: 2025-10-01

Revision number: 1003 BIG number: 32057 2 / 12

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water: risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

5.3.1 Instructions:

Cool tanks/drums with water spray/remove them into safety. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Large spills/in enclosed spaces: self-contained breathing apparatus (EN 136 + EN 137). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Stop engines and no smoking. No naked flames or sparks. Spark- and explosionproof appliances and lighting equipment. Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Large spills/in enclosed spaces: self-contained breathing apparatus (EN 136 + EN 137).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product, collect/pump into suitable containers. Plug the leak, cut off the supply. Dam up the liquid spill. Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Damaged/cooled tanks must be emptied. Do not use compressed air for pumping over spills. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges. Gas/vapour heavier than air at 20°C. Observe normal hygiene standards. Remove contaminated clothing immediately. Keep container tightly closed. Do not discharge the waste into the drain.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Meet the legal requirements. Store in a cool area. Keep container in a well-ventilated place. Protect against frost. Keep out of direct sunlight. Provide for a tub to collect spills.

7.2.2 Keep away from:

Heat sources, ignition sources, oxidizing agents, reducing agents, (strong) acids, (strong) bases.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

Reason for revision: NPIC

If applicable and available it will be listed below.

Revision number: 1003 BIG number: 32057 3 / 12

Publication date: 2001-05-29 Date of revision: 2025-10-01

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	871 mg/m³	
	Long-term systemic effects dermal	77 mg/kg bw/day	

DNEL/DMEL - General population

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	185 mg/m³	
	Long-term systemic effects dermal	46 mg/kg bw/day	
	Long-term systemic effects oral	46 mg/kg bw/day	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Use spark-/explosion proof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

High gas/vapour concentration: full face mask with filter type A.

b) Hand protection:

Protective gloves against chemicals (EN 374).

	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber	> 480 minutes	0.35 mm	Class 6	

c) Eye protection:

Face shield (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Liquid
Colour	No data available on colour
Odour	Characteristic odour
Odour threshold	No data available in the literature
Melting point	No data available in the literature
Boiling point	130 °C - 166 °C
Flammability	Flammable liquid and vapour.
Explosion limits	0.6 - 7 vol %
Flash point	24 °C
Auto-ignition temperature	200 °C
Decomposition temperature	No data available in the literature
рН	Not applicable (non-soluble in water)
Kinematic viscosity	1 mm²/s ; 20 °C
Dynamic viscosity	1 mPa.s ; 20 °C
Solubility	Water ; insoluble
Log Kow	Not applicable (mixture)
Vapour pressure	4.6 hPa ; 20 °C
Absolute density	764 kg/m³ ; 20 °C
Relative density	0.76 ; 20 °C
Relative vapour density	No data available in the literature
Particle size	Not applicable (liquid)

9.2. Other information

Evaporation rate	0.35 ; Butyl acetate

Reason for revision: NPIC Publication date: 2001-05-29
Date of revision: 2025-10-01

Revision number: 1003 BIG number: 32057 4 / 12

SECTION 10: Stability and reactivity

10.1. Reactivity

May be ignited by sparks. Gas/vapour spreads at floor level: ignition hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges.

10.5. Incompatible materials

Oxidizing agents, reducing agents, (strong) acids, (strong) bases.

10.6. Hazardous decomposition products

Upon combustion: CO and CO2 are formed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

TEC7 CLEANER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	Equivalent to OECD	> 15000 mg/kg bw		Rat (male /	Read-across	
		401			female)		
Dermal	LD50	Equivalent to OECD	> 3160 mg/kg bw	24 h	Rabbit (male /	Experimental value	
		402			female)		
Inhalation (vapours)	LC50	Equivalent to OECD	6.1 mg/l	4 h	Rat (male /	Experimental value	
		403			female)		

Conclusion

Not classified for acute toxicity

Corrosion/irritation

TEC7 CLEANER

No (test)data on the mixture available

Judgement is based on the relevant ingredients hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Result	Method	Exposure time	Time point	- •	Value determination	Remark
Eye	Not irritating	Equivalent to OECD 405		24; 48; 72 hours	Rabbit	Read-across	Single treatment
Skin	Not irritating	Equivalent to OECD 404	4 h	24; 48; 72 hours	Rabbit	Read-across	

Conclusion

Not classified as irritating to the respiratory system

Not classified as irritating to the skin

Not classified as irritating to the eyes

Respiratory or skin sensitisation

TEC7 CLEANER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Result	Method	 Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Equivalent to OECD 406		Guinea pig (female)	Read-across	

Conclusion

Not classified as sensitizing for inhalation

Reason for revision: NPIC Publication date: 2001-05-29 Date of revision: 2025-10-01

Revision number: 1003 BIG number: 32057 5/12

Not classified as sensitizing for skin

Specific target organ toxicity

TEC7 CLEANER

No (test)data on the mixture available

Classification is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time		Value determination	Remark
Oral (stomach tube)	NOAEL	Equivalent to OECD 408	> 500 mg/kg bw/day	No adverse systemic effects	13 weeks (daily)	Rat (male / female)	Read-across	
Dermal							Data waiving	
Inhalation (vapours)	NOAEC	Equivalent to OECD 413	> 10400 mg/m³ air	No effect	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Read-across	
Inhalation (vapours)			STOT SE cat.3	Drowsiness, dizziness			Literature study	

Conclusion

May cause drowsiness or dizziness. Not classified for subchronic toxicity

Mutagenicity (in vitro)

TEC7 CLEANER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)	No effect	Read-across	
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 473	Human lymphocytes	No effect	Read-across	

Mutagenicity (in vivo)

TEC7 CLEANER

No (test)data on the mixture available

 $\label{lem:lement} \mbox{ Judgement is based on the relevant ingredients }$

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Inhalation	Equivalent to OECD 478	5 days (6h / day)	Rat (male /	No effect	Read-across	
(vapours))			female)			

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

TEC7 CLEANER

No (test)data on the mixture available

 $\label{lem:continuous} \mbox{\bf Judgement is based on the relevant ingredients}$

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

 irocarbons, cs	ocarbons, es eso, ir alkaries, isoalkaries, eyenes, v 270 aromaties								
Route of	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark	
exposure									
Dermal	NOAEL	Carcinogenic	50 %	Skin (tumor	52 week(s)	Mouse (male)	Experimental value		
		toxicity study		formation)					

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

TEC7 CLEANER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: NPIC Publication date: 2001-05-29

Date of revision: 2025-10-01

Revision number: 1003 BIG number: 32057 6 / 12

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Category	Parameter	Method	Value	Exposure time	Species		Value determination	Remark
Developmental toxicity (Inhalation (vapours))	NOAEL	Equivalent to OECD 414	≥ 5220 mg/m³ air	10 days (6h / day)	Rat		Experimental value	
Maternal toxicity (Inhalation (vapours))	NOAEL	Equivalent to OECD 414	> 5220 mg/m³ air	10 days (6h / day)	Rat	No effect	Read-across	

Conclusion

Not classified for reprotoxic or developmental toxicity

Aspiration hazard

TEC7 CLEANER

Classification is based on the relevant ingredients May be fatal if swallowed and enters airways.

Toxicity other effects

TEC7 CLEANER

No (test)data on the mixture available

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

are car berio, es es	Coarsons, 65 C20, it attaches, isoattaches, of chest, i. 270 aromatics							
Route of	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value	Remark
exposure							determination	
Skin				(skin dryness			Literature study	
				or cracking)				

Conclusion

Repeated exposure may cause skin dryness or cracking.

Chronic effects from short and long-term exposure

TEC7 CLEANER

No effects known.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

TEC7 CLEANER

No (test)data on the mixture available

Classification is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

yurocarbons, c9-c10, n-aikane	s, isoaikalles, cy	clics, \ 270 dlUl	<u>IIalics</u>					
	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	10 mg/l - 30 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value; Nominal concentration
Acute toxicity crustacea	EL50	OECD 202	22 mg/l - 46 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Nominal concentration
Toxicity algae and other aquatic plants	NOEL	OECD 201	< 1 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Experimental value; Growth rate
Long-term toxicity fish	NOEL		0.182 mg/l	28 day(s)	Oncorhynchus mykiss		Fresh water	QSAR; Nominal concentration
Long-term toxicity aquatic crustacea	NOELR		0.317 mg/l	21 day(s)	Daphnia magna		Fresh water	QSAR; Nominal concentration

Conclusion

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

<u>hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics</u>

Biodegradation water

Method	Value	Duration	Value determination
OECD 301F	89 %; Oxygen consumption	28 day(s)	Experimental value

Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.92	18.679 h	1.5E6 /cm³	Calculated value

Conclusion

Reason for revision: NPIC Publication date: 2001-05-29

Date of revision: 2025-10-01

Revision number: 1003 BIG number: 32057 7 / 12

Water

Contains readily biodegradable component(s)

12.3. Bioaccumulative potential

TEC7 CLEANER

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

BCF fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF	BCFBAF v3.01	6.91 l/kg - 1582.4		Pisces	QSAR
		I/kg			

Log Kow

Method	Remark	Value	Temperature	Value determination
		1.99 - 5.25		QSAR

Conclusion

Contains bioaccumulative component(s)

12.4. Mobility in soil

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

(log) Koc

Parameter	Method	Value	Value determination
log Koc		4.16 - 5.88	Weight of evidence

Percent distribution

Method	Fraction air		Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level III	89.8 %	0 %	6.2 %	1.8 %	2.2 %	Calculated value

Conclusion

Contains component(s) that adsorb(s) into the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

TEC7 CLEANER

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

<u>hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics</u>

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590) $\,$

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

20 01 29* (separately collected fractions (except 15 01): detergents containing hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

Reason for revision: NPIC Publication date: 2001-05-29
Date of revision: 2025-10-01

Revision number: 1003 BIG number: 32057 8 / 12

SECTION 14: Transport information

ad (ADR)	
14.1. UN number or ID number UN number	3295
14.2. UN proper shipping name	3233
Proper shipping name	hydrocarbons, liquid, n.o.s.
	nyurocarbons, nquiu, n.o.s.
14.3. Transport hazard class(es)	20
Hazard identification number	30
Class	3
Classification code	F1
14.4. Packing group	
Packing group	III
Labels	3
14. <u>5. Environmental hazards</u>	
Environmentally hazardous substance mark	no
14. <u>6. Special precautions for user</u>	
Special provisions	
Limited quantities	Combination packagings: not more than 5 liters per inner packaging liquids. A package shall not weigh more than 30 kg (gross mass).
I (RID)	·
14.1. UN number or ID number	
UN number of 1D number	3295
	JASA
14.2. UN proper shipping name	hydrocarbons, liquid, n.o.s.
Proper shipping name	inyurocarbons, ilquiu, ii.u.s.
14.3. Transport hazard class(es)	lee .
Hazard identification number	30
Class	3
Classification code	F1
14. <u>4. Packing group</u>	
Packing group	III
Labels	3
14.5. Environmental hazards	
Environmentally hazardous substance mark	no
14.6. Special precautions for user	<u> </u>
Special provisions	
Limited quantities	Combination packagings: not more than 5 liters per inner packaging liquids. A package shall not weigh more than 30 kg (gross mass).
and waterways (ADN)	, , , , , , , , , , , , , , , , , , , ,
14.1. UN number or ID number	
UN number/ID number	3295
14.2. UN proper shipping name	3233
	hydrocarbons liquid nos
Proper shipping name	hydrocarbons, liquid, n.o.s.
14.3. Transport hazard class(es)	
14.3. Transport hazard class(es) Class	3
14.3. Transport hazard class(es) Class Classification code	
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group	3 F1
14.3. Transport hazard class(es) Class Classification code	3 F1 III
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group	3 F1
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group	3 F1 III
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group Labels	3 F1
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group Labels 14.5. Environmental hazards	3 F1 III 3
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group Labels 14.5. Environmental hazards Environmentally hazardous substance mark 14.6. Special precautions for user	3 F1 III 3
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group Labels 14.5. Environmental hazards Environmentally hazardous substance mark	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group Labels 14.5. Environmental hazards Environmentally hazardous substance mark 14.6. Special precautions for user Special provisions Limited quantities	3 F1 III 3
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group Labels 14.5. Environmental hazards Environmentally hazardous substance mark 14.6. Special precautions for user Special provisions	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group Labels 14.5. Environmental hazards Environmentally hazardous substance mark 14.6. Special precautions for user Special provisions Limited quantities	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group Labels 14.5. Environmental hazards Environmentally hazardous substance mark 14.6. Special precautions for user Special provisions Limited quantities	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging
14. 3. Transport hazard class(es) Class Classification code 14. 4. Packing group Packing group Labels 14. 5. Environmental hazards Environmentally hazardous substance mark 14. 6. Special precautions for user Special provisions Limited quantities 1 (IMDG/IMSBC) 14. 1. UN number or ID number	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging liquids. A package shall not weigh more than 30 kg (gross mass).
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group Labels 14.5. Environmental hazards Environmentally hazardous substance mark 14.6. Special precautions for user Special provisions Limited quantities 14 (IMDG/IMSBC) 14.1. UN number or ID number UN number 14.2. UN proper shipping name	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging liquids. A package shall not weigh more than 30 kg (gross mass).
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group Labels 14.5. Environmental hazards Environmentally hazardous substance mark 14.6. Special precautions for user Special provisions Limited quantities 14 (IMDG/IMSBC) 14.1. UN number or ID number UN number 14.2. UN proper shipping name Proper shipping name	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging liquids. A package shall not weigh more than 30 kg (gross mass).
14. 3. Transport hazard class(es) Class Classification code 14. 4. Packing group Packing group Labels 14. 5. Environmental hazards Environmentally hazardous substance mark 14. 6. Special precautions for user Special provisions Limited quantities 1 (IMDG/IMSBC) 14. 1. UN number or ID number UN number 14. 2. UN proper shipping name Proper shipping name 14. 3. Transport hazard class(es)	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging liquids. A package shall not weigh more than 30 kg (gross mass). 3295 hydrocarbons, liquid, n.o.s.
14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group Labels 14.5. Environmental hazards Environmentally hazardous substance mark 14.6. Special precautions for user Special provisions Limited quantities 1 (IMDG/IMSBC) 14.1. UN number or ID number UN number 14.2. UN proper shipping name Proper shipping name Proper shipping name 14.3. Transport hazard class(es) Class	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging liquids. A package shall not weigh more than 30 kg (gross mass).
14. 3. Transport hazard class(es) Class Classification code 14. 4. Packing group Packing group Labels 14. 5. Environmental hazards Environmentally hazardous substance mark 14. 6. Special precautions for user Special provisions Limited quantities 16 (IMDG/IMSBC) 14. 1. UN number or ID number UN number 14. 2. UN proper shipping name Proper shipping name Proper shipping name 14. 3. Transport hazard class(es) Class 14. 4. Packing group	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging liquids. A package shall not weigh more than 30 kg (gross mass). 3295 hydrocarbons, liquid, n.o.s.
14. 3. Transport hazard class(es) Class Classification code 14. 4. Packing group Packing group Labels 14. 5. Environmental hazards Environmentally hazardous substance mark 14. 6. Special precautions for user Special provisions Limited quantities 1 (IMDG/IMSBC) 14. 1. UN number or ID number UN number 14. 2. UN proper shipping name Proper shipping name Proper shipping name 14. 3. Transport hazard class(es) Class 14. 4. Packing group Packing group	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging liquids. A package shall not weigh more than 30 kg (gross mass). 3295 hydrocarbons, liquid, n.o.s.
14. 3. Transport hazard class(es) Class Classification code 14. 4. Packing group Packing group Labels 14. 5. Environmental hazards Environmentally hazardous substance mark 14. 6. Special precautions for user Special provisions Limited quantities 14. 1. UN number or ID number UN number 14. 2. UN proper shipping name Proper shipping name Proper shipping name 14. 3. Transport hazard class(es) Class 14. 4. Packing group Packing group Labels	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging liquids. A package shall not weigh more than 30 kg (gross mass). 3295 hydrocarbons, liquid, n.o.s.
14. 3. Transport hazard class(es) Class Classification code 14. 4. Packing group Packing group Labels 14. 5. Environmental hazards Environmentally hazardous substance mark 14. 6. Special precautions for user Special provisions Limited quantities 1 (IMDG/IMSBC) 14. 1. UN number or ID number UN number 14. 2. UN proper shipping name Proper shipping name Proper shipping name 14. 3. Transport hazard class(es) Class 14. 4. Packing group Packing group	3 F1 III 3 no Combination packagings: not more than 5 liters per inner packaging f liquids. A package shall not weigh more than 30 kg (gross mass). 3295 hydrocarbons, liquid, n.o.s.

Reason for revision: NPIC Publication date: 2001-05-29
Date of revision: 2025-10-01

Revision number: 1003 BIG number: 32057

9/12

Environmentally hazardous substance mark	no				
14.6. Special precautions for user					
Special provisions	223				
Limited quantities	Combination packagings: not more than 5 liters per inner packaging for				
	liquids. A package shall not weigh more than 30 kg (gross mass).				
14.7. Maritime transport in bulk according to IMO instruments					
Annex II of MARPOL 73/78	Not applicable, based on available data				

Aiı

ir (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number	
UN number/ID number	3295
14.2. UN proper shipping name	
Proper shipping name	hydrocarbons, liquid, n.o.s.
14.3. Transport hazard class(es)	
Class	3
14.4. Packing group	
Packing group	III
Labels	3
14.5. Environmental hazards	
Environmentally hazardous substance mark	no
14.6. Special precautions for user	
Special provisions	A3
Special provisions	A324
Passenger and cargo transport	
Limited quantities: maximum net quantity per packaging	10 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **European legislation:**

VOC content Directive 2010/75/EU

VOC content	Remark
100 %	
764 g/l	

Directive 2012/18/EU (Seveso III)

Threshold values under special circumstances

Substance or category	Special circumstances		Top tier (tonnes)		For this substance or mixture the summation rule has to be applied for:
P5a FLAMMABLE LIQUIDS	Maintained at a temperature above the boiling point	10	50	None	Flammability
P5b FLAMMABLE LIQUIDS	Particular processing conditions, such as high pressure or high temperature, may create major- accident hazards	50	200	None	Flammability

Threshold values under normal circumstances

Substance or category		Top tier (tonnes)		For this substance or mixture the summation rule has to be applied for:
P5c FLAMMABLE LIQUIDS	5000	50000	None	Flammability

Ingredients according to Regulation (EC) No 648/2004 and amendments

≥30% aliphatic hydrocarbons

REACH Candidate list

Does not contain component(s) included in candidate list of substances of very high concern (SVHC) for authorisation (Article 59 of Regulation (EC) No 1907/2006)

REACH Annex XIV - Authorisation

Does not contain component(s) included in Annex XIV of Regulation (EC) No 1907/2006: list of substances subject to authorisation

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
· hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics	criteria for any of the following hazard classes	Shall not be used in: — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, — tricks and jokes,

Reason for revision: NPIC Publication date: 2001-05-29 Date of revision: 2025-10-01

Revision number: 1003 BIG number: 32057 10 / 12

(a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 games for one or more participants, or any article intended to be used as such, even with types A and B, 2.9, 2.10, 2.12, 2.13 categories 2. Articles not complying with paragraph 1 shall not be placed on the market. 1 and 2, 2.14 categories 1 and 2, 2.15 types A 3. Shall not be placed on the market if they contain a colouring agent, unless required for (b) hazard classes 3.1 to 3.6, 3.7 adverse fiscal reasons, or perfume, or both, if they: effects on sexual function and fertility or on can be used as fuel in decorative oil lamps for supply to the general public, and, development, 3.8 effects other than narcotic present an aspiration hazard and are labelled with H304. effects, 3.9 and 3.10: 4. Decorative oil lamps for supply to the general public shall not be placed on the market (c) hazard class 4.1: unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted (d) hazard class 5.1. by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life- threatening lung damage"; b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010. hydrocarbons, C9-C10, n-alkanes, Substances classified as flammable gases 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol isoalkanes, cyclics, < 2% aromatics category 1 or 2, flammable liquids categories dispensers are intended for supply to the general public for entertainment and decorative 1, 2 or 3, flammable solids category 1 or 2, purposes such as the following: substances and mixtures which, in contact metallic glitter intended mainly for decoration, with water, emit flammable gases, category 1, artificial snow and frost, "whoopee" cushions, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of silly string aerosols. whether they appear in Part 3 of Annex VI to imitation excrement, that Regulation or not. horns for parties, decorative flakes and foams, artificial cobwebs, stink bombs. 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: "For professional users only". 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC. 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

National legislation Belgium

TEC7 CLEANER

No data available

National legislation The Netherlands

TEC7 CLEANER

Waterbezwaarlijkheid B (3); Algemene Beoordelingsmethodiek (ABM)

National legislation France

TEC7 CLEANER

No data available

National legislation Germany

TEC7 CLEANER

_			
	Lagerklasse (TRGS510)	3: Entzündbare Flüssigkeiten	
	WGK	2; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017	
h	hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
	TA-Luft	5.2.5/I	

National legislation Austria

TEC7 CLEANER

No data available

National legislation United Kingdom

TEC7 CLEANER

No data available

National legislation Ireland

TEC7 CLEANER

No data available

Other relevant data

TEC7 CLEANER

No data available

15.2. Chemical safety assessment

Reason for revision: NPIC Publication date: 2001-05-29
Date of revision: 2025-10-01

Revision number: 1003 BIG number: 32057 11/12

No chemical safety assessment is required for a mixture.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

(*) INTERNAL CLASSIFICATION BY BIG

ADI Acceptable daily intake

AOEL Acceptable operator exposure level

ATE Acute Toxicity Estimate
BCF Bioconcentration Factor
BEI Biological Exposure Indices

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
EC10 Effect Concentration 10 %
EC50 Effect Concentration 50 %

ErC50 EC50 in terms of reduction of growth rate

GLP Good Laboratory Practice
LC0 Lethal Concentration 0 %
LC50 Lethal Concentration 50 %
LD50 Lethal Dose 50 %

LOAEC/LOAEL Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level

NOAEC/NOAEL No Observed Adverse Effect Concentration/No Observed Adverse Effect Level

NOEC/NOEL No Observed Effect Concentration/No Observed Effect Level OECD Organisation for Economic Co-operation and Development

PBT Persistent, Bioaccumulative & Toxic
PNEC Predicted No Effect Concentration
STP Sludge Treatment Process

vPvB very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: NPIC Publication date: 2001-05-29
Date of revision: 2025-10-01

Revision number: 1003 BIG number: 32057 12 / 12