

SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878



WP7-501 COMP.A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : WP7-501 COMP.A
Registration number REACH : Not applicable (mixture)
Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Sealing compound

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

TEC7*
Industrielaan 5B
B-2250 Olen
☎ +32 14 85 97 37
☎ +32 14 85 97 38
info@tec7.be
*TEC7 is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V.
Industrielaan 5B
B-2250 Olen
☎ +32 14 85 97 37
☎ +32 14 85 97 38
info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :
+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Class	Category	Hazard statements
Eye Dam.	category 1	H318: Causes serious eye damage.
Skin Irrit.	category 2	H315: Causes skin irritation.

2.2. Label elements



Signal word Danger

H-statements

H318 Causes serious eye damage.
H315 Causes skin irritation.

P-statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 Wear protective gloves, protective clothing and eye protection/face protection.
P264 Wash hands thoroughly after handling.
P321 Specific treatment (see information on this label).
P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)
Technische Schoolstraat 43 A, B-2440 Geel
<http://www.big.be>
© BIG vzw

Publication date:

Revision number:

BIG number: 66112

1 / 9

878-16433-035-en

WP7-501 COMP.A

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
cement, portland, chemicals	65997-15-1 266-043-4	1%<C≤3%	Eye Dam. 1; H318 Skin Irrit. 2; H315 STOT SE 3; H335		Constituent	
calcium sulfate	7778-18-9 231-900-3	C>1%		(2)	Constituent	
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] 01-2119489379-17	13463-67-7 236-675-5	C<1 %	Carc. 2; H351	(1)(2)	Constituent	
glass, oxide, chemicals	65997-17-3 266-046-0	C>1%		(2)	Constituent	
quartz (SiO ₂)	14808-60-7 238-878-4	C>1%		(2)	Constituent	

(1) For H- and EUH-statements in full: see section 16

(2) Substance with a Community workplace exposure limit

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

After eye contact:

Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

AFTER INHALATION OF DUST: Irritation of the respiratory tract. Irritation of the nasal mucous membranes.

After skin contact:

Tingling/irritation of the skin.

After eye contact:

Corrosion of the eye tissue.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.2 Unsuitable extinguishing media:

Small fire: No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

Publication date:

WP7-501 COMP.A

Upon combustion: CO and CO₂ are formed.

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Dust cloud production: dust-tight suit (EN 13982). Dust cloud production: self-contained breathing apparatus (EN 136 + EN 137). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Prevent dust cloud formation, e.g. by wetting. No naked flames.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Dust cloud production: dust-tight suit (EN 13982). Dust cloud production: self-contained breathing apparatus (EN 136 + EN 137).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product, collect/pump into suitable containers. Plug the leak, cut off the supply. Knock down/dilute dust cloud with water spray.

6.3. Methods and material for containment and cleaning up

Stop dust cloud by humidifying. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Avoid raising dust. Keep away from naked flames/heat. Observe normal hygiene standards. Remove contaminated clothing immediately. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: 5 °C - 30 °C. Meet the legal requirements. Store in a cool area. Store in a dry area. Keep container in a well-ventilated place.

7.2.2 Keep away from:

Heat sources, (strong) bases, (strong) acids.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

EU

Respirable crystalline silica dust	Time-weighted average exposure limit 8 h (Indicative occupational exposure limit value)	0.1 mg/m ³ (2)
------------------------------------	---	---------------------------

(2): Respirable fraction

Belgium

Calcium (sulfate de) (anhydrate, hemihydrate, dihydrate, gypse)	Time-weighted average exposure limit 8 h	10 mg/m ³
Ciment portland (poussières alvéolaires) (sans fibres d'amiante et	Time-weighted average exposure limit 8 h	1 mg/m ³
Silices cristallines : quartz (poussières alvéolaires)	Time-weighted average exposure limit 8 h	0.1 mg/m ³
Titane (dioxyde de)	Time-weighted average exposure limit 8 h	10 mg/m ³

Publication date:

WP7-501 COMP.A

The Netherlands

Respirabel kristallijn silicastof - kwarts	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	0.03 ppm
	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	0.075 mg/m ³

France

Calcium (sulfate de)	Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)	10 mg/m ³
Silices cristallines : cristobalite, quartz, tridymite	Time-weighted average exposure limit 8 h (VRC: Valeur réglementaire contraignante)	0.1 mg/m ³
Titane (dioxyde de), en Ti	Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)	10 mg/m ³

Germany

Calciumsulfat	Time-weighted average exposure limit 8 h (TRGS 900)	6 mg/m ³
---------------	---	---------------------

Austria

Calciumsulfat	Tagesmittelwert (MAK)	5 mg/m ³
	Kurzzeitwert 60(Miw) 2x (MAK)	10 mg/m ³
Portlandzement (Staub)	Tagesmittelwert (MAK)	5 mg/m ³
Quarzfeinstaub(alveolengängiges kristallines Siliziumdioxid)	Tagesmittelwert (MAK)	0.05 mg/m ³
Titandioxid (Alveolarstaub)	Tagesmittelwert (MAK)	5 mg/m ³
	Kurzzeitwert 60(Miw) 2x (MAK)	10 mg/m ³

UK

Portland cement inhalable dust	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	10 mg/m ³
Portland cement respirable dust	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	4 mg/m ³
Silica, respirable crystalline (respirable fraction)	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	0.1 mg/m ³
Titanium dioxide respirable	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	4 mg/m ³
Titanium dioxide total inhalable	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	10 mg/m ³

USA (TLV-ACGIH)

Calcium sulfate	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	10 mg/m ³ (I)
Portland cement	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	1 mg/m ³ (R,E)
Silica, crystalline - α -quartz and cristobalite	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	0.025 mg/m ³ (R)
Synthetic vitreous fibers: Continuous filam glass fibers	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	1 fibers/cm ³ (F)
	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	5 mg/m ³ (I)
Titanium dioxide - finescale particles	Time-weighted average exposure limit 8 h (TLV - Intended Changes)	2.5 mg/m ³ (R)
Titanium dioxide - nanoscale particles	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	0.2 mg/m ³ (R)

(I): Inhalable fraction

R,E: Respirable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica

(R): Respirable fraction

(F): Respirable fibers: length > 5 μ m; aspect ratio \geq 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

Product name	Test	Number
Portland Cement (Total Dust)	OSHA	ID 207

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

If applicable and available it will be listed below.

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Avoid raising dust. Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

Publication date:

WP7-501 COMP.A

a) Respiratory protection:

Dust production: dust mask with filter type P2.

b) Hand protection:

Protective gloves against chemicals (EN 374).

Materials	Remark
nitrile rubber	Good resistance

c) Eye protection:

Face shield (EN 166). In case of dust production: protective goggles (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034). In case of dust production: head/neck protection. In case of dust production: dustproof clothing (EN 13982).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Solid
	Powder
Odour	Mild odour
Odour threshold	No data available in the literature
Colour	Light grey
Particle size	No data available in the literature
Explosion limits	Not applicable
Flammability	Not classified as flammable
Log Kow	Not applicable (mixture)
Dynamic viscosity	Not applicable (solid)
Kinematic viscosity	Not applicable (solid)
Melting point	> 1000 °C
Boiling point	No data available in the literature
Relative vapour density	Not applicable (solid)
Vapour pressure	No data available in the literature
Solubility	Water ; dispersible
Relative density	No data available in the literature
Absolute density	No data available in the literature
Decomposition temperature	No data available in the literature
Auto-ignition temperature	Not applicable
Flash point	Not applicable (solid)
pH	12 - 13 ; aqueous suspension ; 20 °C

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Basic reaction.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Avoid raising dust. Keep away from naked flames/heat.

10.5. Incompatible materials

(strong) bases, (strong) acids.

10.6. Hazardous decomposition products

Upon combustion: CO and CO₂ are formed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

WP7-501 COMP.A

Publication date:

WP7-501 COMP.A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Conclusion

Not classified for acute toxicity

Corrosion/irritation

WP7-501 COMP.A

No (test)data on the mixture available

In the light of practical experience, the classification for this mixture is more stringent than the one based on the calculation set out
cement, portland, chemicals

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Serious eye damage; category 1					Literature study	
Skin	Irritating; category 2					Literature study	
Inhalation	Irritating; STOT SE cat.3					Literature study	

Conclusion

Causes skin irritation.

Causes serious eye damage.

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

WP7-501 COMP.A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Conclusion

Not classified as sensitizing for inhalation

Not classified as sensitizing for skin

Specific target organ toxicity

WP7-501 COMP.A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

WP7-501 COMP.A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Mutagenicity (in vivo)

WP7-501 COMP.A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

WP7-501 COMP.A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

WP7-501 COMP.A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Conclusion

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

WP7-501 COMP.A

Publication date:

WP7-501 COMP.A

No (test) data on the mixture available

Chronic effects from short and long-term exposure

WP7-501 COMP.A

No effects known.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

WP7-501 COMP.A

No (test) data on the mixture available

Judgement of the mixture is based on the relevant ingredients

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

Water

Biodegradability: not applicable

12.3. Bioaccumulative potential

WP7-501 COMP.A

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

Conclusion

Does not contain bioaccumulative component(s)

12.4. Mobility in soil

Contains component(s) that adsorb(s) into the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

WP7-501 COMP.A

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

Groundwater

Groundwater pollutant

Water ecotoxicity pH

pH shift

cement, portland, chemicals

Water ecotoxicity pH

pH shift

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 10 (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants other than those mentioned in 08 04 09). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

Publication date:

WP7-501 COMP.A

13.1.3 Packaging/Container
No data available

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number	Transport	Not subject
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
Hazard identification number		
Class		
Classification code		
14.4. Packing group		
Packing group		
Labels		
14.5. Environmental hazards		
Environmentally hazardous substance mark		no
14.6. Special precautions for user		
Special provisions		
Limited quantities		
14.7. Maritime transport in bulk according to IMO instruments		
Annex II of MARPOL 73/78		Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
0 %	
0 g/l	

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

European drinking water standards (98/83/EC and 2020/2184)

cement, portland, chemicals

Parameter	Parametric value	Note	Reference
Aluminium	200 µg/l		Listed in Annex I, Part C, of Directive (EU) 2020/2184 on the quality of water intended for human consumption.
Iron	200 µg/l		Listed in Annex I, Part C, of Directive (EU) 2020/2184 on the quality of water intended for human consumption.

calcium sulfate

Parameter	Parametric value	Note	Reference
Sulphate	250 mg/l		Listed in Annex I, Part C, of Directive (EU) 2020/2184 on the quality of water intended for human consumption.

National legislation Belgium

WP7-501 COMP.A

No data available

quartz (SiO₂)

Additional classification	Silices cristallines : quartz (poussières alvéolaires); C; La mention "C" signifie que l'agent en question relève du champ d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail.
Agents cancérigènes, mutagènes et reprotoxiques (Code du bien-être au travail, Livre VI, titre 2)	silice cristalline alvéolaire; VI.2.3.; Liste non limitative de substances, mélanges et procédés visés à l'article VI.2-1, alinéa 3

National legislation The Netherlands

WP7-501 COMP.A

Waterbezwaarlijkheid B (4); Algemene Beoordelingsmethodiek (ABM)

National legislation France

WP7-501 COMP.A

No data available

National legislation Germany

WP7-501 COMP.A

Lagerklasse (TRGS510)	13: Nicht brennbare Feststoffe, die keiner der vorgenannten LGK zuzuordnen sind
WGK	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017

Publication date:

WP7-501 COMP.A

cement, portland, chemicals

TA-Luft	5.2.1
---------	-------

National legislation Austria

WP7-501 COMP.A

No data available

National legislation United Kingdom

WP7-501 COMP.A

No data available

Other relevant data

WP7-501 COMP.A

No data available

cement, portland, chemicals

TLV - Carcinogen	Portland cement; A4
------------------	---------------------

15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer if inhaled.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BEI	Biological Exposure Indices
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC10	Effect Concentration 10 %
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
GLP	Good Laboratory Practice
LC0	Lethal Concentration 0 %
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
LOAEC/LOAEL	Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Publication date: