

# SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878



## PLUMB

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : PLUMB  
Registration number REACH : Not applicable (mixture)  
Product type REACH : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1 Relevant identified uses

Sealing compound

##### 1.2.2 Uses advised against

No uses advised against known

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier of the safety data sheet

TEC7\*  
Industrielaan 5B  
B-2250 Olen  
+32 14 85 97 37  
+32 14 85 97 38  
info@tec7.be

\*TEC7 is a registered trademark of Novatech International N.V.

##### Manufacturer of the product

Novatech International N.V.  
Industrielaan 5B  
B-2250 Olen  
+32 14 85 97 37  
+32 14 85 97 38  
info@novatech.be

#### 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :  
+32 14 58 45 45 (BIG)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

#### 2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

##### Supplemental information

EUH208 Contains: tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione. May produce an allergic reaction.

#### 2.3. Other hazards

No other hazards known

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

# PLUMB

## 3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione	5395-50-6 226-408-0	C≤0.4%	Skin Sens. 1; H317	(1)(2)	Constituent	
sodium nitrite 01-2119471836-27	7632-00-0 231-555-9	C≤0.2%	Ox. Sol. 2; H272 Acute Tox. 3; H301 Eye Irrit. 2; H319 Aquatic Acute 1; H400	(1)(6)	Constituent	M: 1 (Acute, BIG)

(1) For H- and EUH-statements in full: see section 16

(2) Substance with a Community workplace exposure limit

(6) Enumerated in Annex VI of Regulation (EC) No. 1272/2008 but the classification has been adapted after evaluation of available test data

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

#### After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

#### After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

#### After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

#### After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.2.1 Acute symptoms

##### After inhalation:

No effects known.

##### After skin contact:

No effects known.

##### After eye contact:

No effects known.

##### After ingestion:

Headache. Abdominal pain. Diarrhoea. Vomiting.

#### 4.2.2 Delayed symptoms

No effects known.

### 4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### 5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (not alcohol-resistant); after consulting specialist.

#### 5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion, Quick-acting class B foam extinguisher.

Major fire: Water.

### 5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed.

### 5.3. Advice for firefighters

#### 5.3.1 Instructions:

No specific fire-fighting instructions required.

#### 5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

# PLUMB

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

#### 6.1.1 Protective equipment for non-emergency personnel

See section 8.2

#### 6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

#### Suitable protective clothing

See section 8.2

### 6.2. Environmental precautions

Contain released product.

### 6.3. Methods and material for containment and cleaning up

Take up liquid spill into absorbent material. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

### 6.4. Reference to other sections

See section 13.

## SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe strict hygiene. Keep container tightly closed.

### 7.2. Conditions for safe storage, including any incompatibilities

#### 7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Meet the legal requirements. Keep container in a well-ventilated place. Keep out of direct sunlight. Protect against frost. Keep container tightly closed.

#### 7.2.2 Keep away from:

Heat sources, oxidizing agents, reducing agents, (strong) acids, (strong) bases.

#### 7.2.3 Suitable packaging material:

No data available

#### 7.2.4 Non suitable packaging material:

No data available

### 7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 Occupational exposure

##### a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

##### Germany

Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo(4,5-d)imidazol-2,5(1H,3H)-dion (Tetramethylolacetylendiharnstoff)	Time-weighted average exposure limit 8 h (TRGS 900)	0.046 ppm (1)
	Time-weighted average exposure limit 8 h (TRGS 900)	0.5 mg/m <sup>3</sup> (1)
<i>Summe aus Dampf und Aerosolen.</i>		

(1) Einatembare Fraktion; UF: 2 (I)

##### b) National biological limit values

If limit values are applicable and available these will be listed below.

##### USA (BEI-ACGIH)

Methemoglobin inducers (Methemoglobin)	Blood: during or end of shift	5 % of hemoglobin	Background, Nonspecific
-------------------------------------------	-------------------------------	-------------------	-------------------------

#### 8.1.2 Sampling methods

If applicable and available it will be listed below.

#### 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

#### 8.1.4 Threshold values

##### DNEL/DMEL - Workers

Reason for revision: 3; 6; 7; 8; 9; 11; 12; 15; 16

Publication date: 2010-05-28

Date of revision: 2025-11-14

# PLUMB

sodium nitrite

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	2 mg/m <sup>3</sup>	
	Acute systemic effects inhalation	2 mg/m <sup>3</sup>	

**PNEC**

sodium nitrite

Compartments	Value	Remark
Fresh water	0.005 mg/l	
Fresh water (intermittent releases)	0.005 mg/l	
Marine water	0.006 mg/l	
STP	21 mg/l	
Fresh water sediment	0.019 mg/kg sediment dw	
Marine water sediment	0.022 mg/kg sediment dw	
Soil	0.001 mg/kg soil dw	

## 8.1.5 Control banding

If applicable and available it will be listed below.

## 8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

### 8.2.2 Individual protection measures, such as personal protective equipment

Observe strict hygiene. Do not eat, drink or smoke during work.

#### a) Respiratory protection:

Respiratory protection not required in normal conditions.

#### b) Hand protection:

Protective gloves against chemicals (EN 374).

Materials	Measured breakthrough time	Thickness	Protection index	Remark
viton	> 480 minutes	0.7 mm	Class 6	

#### c) Eye protection:

Face shield (EN 166).

#### d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

### 8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical form	Liquid
Colour	Colourless
Odour	Characteristic odour
Odour threshold	No data available in the literature
Melting point	0 °C
Boiling point	100 °C
Flammability	Not classified as flammable
Explosion limits	No data available in the literature
Flash point	No data available in the literature
Auto-ignition temperature	No data available in the literature
Decomposition temperature	No data available in the literature
pH	11.2
Kinematic viscosity	1 mm <sup>2</sup> /s ; 40 °C
Dynamic viscosity	1 mPa.s ; 20 °C
Solubility	Water ; insoluble
Log Kow	Not applicable (mixture)
Vapour pressure	23 hPa ; 20 °C
Absolute density	1083 kg/m <sup>3</sup> ; 20 °C
Relative density	1.08 ; 20 °C
Relative vapour density	No data available in the literature
Particle size	Not applicable (liquid)

### 9.2. Other information

Evaporation rate	0.3 ; Butyl acetate
------------------	---------------------

Reason for revision: 3; 6; 7; 8; 9; 11; 12; 15; 16

Publication date: 2010-05-28

Date of revision: 2025-11-14

# PLUMB

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Heating increases the fire hazard. Basic reaction.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

#### Precautionary measures

Keep away from naked flames/heat.

### 10.5. Incompatible materials

Oxidizing agents, reducing agents, (strong) acids, (strong) bases.

### 10.6. Hazardous decomposition products

Upon combustion: CO and CO<sub>2</sub> are formed.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### 11.1.1 Test results

#### Acute toxicity

##### PLUMB

No (test)data on the mixture available

Judgement is based on the relevant ingredients

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	Equivalent to OECD 401	> 5000 mg/kg bw		Rat (male / female)	Experimental value	

##### sodium nitrite

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50		180 mg/kg		Rat (male)	Experimental value	
Inhalation (mist)	LC0		> 0.095 mg/l air	4 h	Rat (male / female)	Experimental value	

##### Conclusion

Not classified for acute toxicity

#### Corrosion/irritation

##### PLUMB

No (test)data on the mixture available

Judgement is based on the relevant ingredients

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	Equivalent to OECD 405		1; 24; 48; 72 hours	Rabbit	Experimental value	
Skin	Not irritating	Equivalent to OECD 404	24 h	24; 72 hours	Rabbit	Experimental value	

##### sodium nitrite

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Moderately irritating	OECD 405		24 hours	Rabbit	Weight of evidence	Single treatment
Skin	Not irritating	OECD 404	4 h		Rabbit	Weight of evidence	

##### Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

#### Respiratory or skin sensitisation

##### PLUMB

No (test)data on the mixture available

Reason for revision: 3; 6; 7; 8; 9; 11; 12; 15; 16

Publication date: 2010-05-28

Date of revision: 2025-11-14

Revision number: 0600

BIG number: 44605

5 / 11

# PLUMB

Judgement is based on the relevant ingredients  
tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Sensitizing	OECD 406			Guinea pig (female)	Experimental value	

## Conclusion

Not classified as sensitizing for skin

Not classified as sensitizing for inhalation

## Specific target organ toxicity

### PLUMB

No (test)data on the mixture available

Judgement is based on the relevant ingredients  
sodium nitrite

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (drinking water)	NOAEL	NTP	130 mg/kg bw/day	No effect	2 year(s)	Rat (male)	Experimental value	
Oral (drinking water)	NOAEL	NTP	150 mg/kg bw/day	No effect	2 year(s)	Rat (female)	Experimental value	

## Conclusion

Not classified for subchronic toxicity

## Mutagenicity (in vitro)

### PLUMB

No (test)data on the mixture available

Judgement is based on the relevant ingredients

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)		Experimental value	

sodium nitrite

Result	Method	Test substrate	Effect	Value determination	Remark
Positive with metabolic activation, positive without metabolic activation	Ames test	Bacteria (S.typhimurium)		Weight of evidence	

## Mutagenicity (in vivo)

### PLUMB

No (test)data on the mixture available

Judgement is based on the relevant ingredients

sodium nitrite

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Intraperitoneal)	Micronucleus test	3 dose(s)/24-hour interval	Rat (male)	Bone marrow (no effect)	Experimental value	

## Conclusion

Not classified for mutagenic or genotoxic toxicity

## Carcinogenicity

### PLUMB

No (test)data on the mixture available

Judgement is based on the relevant ingredients

sodium nitrite

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (drinking water)	NOAEL	Carcinogenic toxicity study	130 mg/kg bw/day	No carcinogenic effect	105 week(s)	Rat (male)	Weight of evidence	
Oral (drinking water)	NOAEL	Carcinogenic toxicity study	150 mg/kg bw/day	No carcinogenic effect	105 week(s)	Rat (female)	Weight of evidence	

## Conclusion

Not classified for carcinogenicity

## Reproductive toxicity

Reason for revision: 3; 6; 7; 8; 9; 11; 12; 15; 16

Publication date: 2010-05-28

Date of revision: 2025-11-14

Revision number: 0600

BIG number: 44605

6 / 11

# PLUMB

## PLUMB

No (test)data on the mixture available

Judgement is based on the relevant ingredients  
sodium nitrite

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (drinking water))	NOAEL	Developmental toxicity study	500 mg/l		Rat	No effect	Weight of evidence	
Effects on fertility (Oral (drinking water))	NOAEL	Fertility Assessment	425 mg/kg bw/day		Mouse (male / female)	No effect	Weight of evidence	

## Conclusion

Not classified for reprotoxic or developmental toxicity

## Aspiration hazard

## PLUMB

Judgement is based on the relevant ingredients  
Not classified for aspiration toxicity

## Toxicity other effects

## PLUMB

No (test)data on the mixture available

## Chronic effects from short and long-term exposure

## PLUMB

Skin rash/inflammation.

## 11.2. Information on other hazards

No evidence of endocrine disrupting properties

## SECTION 12: Ecological information

### 12.1. Toxicity

## PLUMB

No (test)data on the mixture available

This mixture does not contain any notifiable substances

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity crustacea	EC50	OECD 202	> 38.9 mg/l	48 h	Daphnia magna	Semi-static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	ErC50	OECD 201	3.85 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; GLP
	NOEC	OECD 201	1.22 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; GLP

sodium nitrite

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50		0.54 mg/l	96 h	Oncorhynchus mykiss	Flow-through system	Fresh water	Experimental value; Lethal
Acute toxicity crustacea	EC50	OECD 202	15 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	ErC50	OECD 201	> 100 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; Measured concentration
	NOEC	OECD 201	100 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; Growth rate
Long-term toxicity fish	NOEC	OECD 210	21 mg/l	29 day(s)	Cyprinus carpio	Daily renewal	Fresh water	Experimental value; Lethal
Long-term toxicity aquatic crustacea	NOEC		9.9 mg/l	80 day(s)	Penaeus sp.	Semi-static system	Salt water	Experimental value; Weight changes
Toxicity aquatic micro-organisms	EC50	OECD 209	510 mg/l	180 minutes	Activated sludge	Static system	Fresh water	Experimental value; Respiration

## Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

Reason for revision: 3; 6; 7; 8; 9; 11; 12; 15; 16

Publication date: 2010-05-28

Date of revision: 2025-11-14

# PLUMB

## 12.2. Persistence and degradability

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

### Biodegradation water

Method	Value	Duration	Value determination
OECD 301A	70 % - 80 %; GLP	28 day(s)	Experimental value

### Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.92	1.410 h	1.5E6 /cm <sup>3</sup>	Calculated value

### Conclusion

#### Water

Contains readily biodegradable component(s)

## 12.3. Bioaccumulative potential

PLUMB

### Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

### Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 107		-2.9 - -2	24 °C	Experimental value

sodium nitrite

### Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (inorganic)			

### Conclusion

Does not contain bioaccumulative component(s)

## 12.4. Mobility in soil

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

### (log) Koc

Parameter	Method	Value	Value determination
log Koc	SRK PCKOCWIN v2.0	1.000	Calculated value

### Conclusion

Contains component(s) with potential for mobility in the soil

## 12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

## 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

## 12.7. Other adverse effects

PLUMB

### Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

### Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

### Water ecotoxicity pH

pH shift

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

### Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

### Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

### Groundwater

Groundwater pollutant

sodium nitrite

### Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

### Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

### Groundwater

Groundwater pollutant

### Water ecotoxicity pH

pH shift

Reason for revision: 3; 6; 7; 8; 9; 11; 12; 15; 16

Publication date: 2010-05-28

Date of revision: 2025-11-14

Revision number: 0600

BIG number: 44605

8 / 11

# PLUMB

## SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 13.1. Waste treatment methods

#### 13.1.1 Provisions relating to waste

##### European Union

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 10 (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants other than those mentioned in 08 04 09). Depending on branch of industry and production process, also other waste codes may be applicable.

#### 13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment. Dispose of at an authorized waste collection point.

#### 13.1.3 Packaging/Container

No data available

## SECTION 14: Transport information

### Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

#### 14.1. UN number or ID number

Transport	Not subject
-----------	-------------

#### 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

Hazard identification number	
Class	
Classification code	

#### 14.4. Packing group

Packing group	
Labels	

#### 14.5. Environmental hazards

Environmentally hazardous substance mark	no
------------------------------------------	----

#### 14.6. Special precautions for user

Special provisions	
Limited quantities	

#### 14.7. Maritime transport in bulk according to IMO instruments

Annex II of MARPOL 73/78	Not applicable, based on available data
--------------------------	-----------------------------------------

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
0 %	
0 g/l	

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

Ingredients according to Regulation (EC) No 648/2004 and amendments

tetramethylol acetylenediurea

REACH Candidate list

Does not contain component(s) included in candidate list of substances of very high concern (SVHC) for authorisation (Article 59 of Regulation (EC) No 1907/2006)

REACH Annex XIV - Authorisation

Does not contain component(s) included in Annex XIV of Regulation (EC) No 1907/2006: list of substances subject to authorisation

REACH Annex XVII - Restriction

Does not contain component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

#### National legislation Belgium

##### PLUMB

No data available

#### National legislation The Netherlands

##### PLUMB

Waterbezwaarlijkheid	B (4); Algemene Beoordelingsmethodiek (ABM)
----------------------	---------------------------------------------

Reason for revision: 3; 6; 7; 8; 9; 11; 12; 15; 16

Publication date: 2010-05-28

Date of revision: 2025-11-14

Revision number: 0600

BIG number: 44605

9 / 11

# PLUMB

## National legislation France

### PLUMB

No data available

## National legislation Germany

### PLUMB

WGK	1; Classification water polluting according to external literature source
tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione	
TA-Luft	5.2.5
TRGS900 - Risiko der Fruchtschädigung	Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione (Tetramethylolacetylendiharnstoff); Y; Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes nicht befürchtet zu werden
Sensibilisierende Stoffe	Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione (Tetramethylolacetylendiharnstoff); Sh; Hautsensibilisierende Stoffe
sodium nitrite	
TA-Luft	5.2.1

## National legislation Austria

### PLUMB

No data available

## National legislation United Kingdom

### PLUMB

No data available

## National legislation Ireland

### PLUMB

No data available

## Other relevant data

### PLUMB

No data available

## 15.2. Chemical safety assessment

No chemical safety assessment is required for a mixture.

## SECTION 16: Other information

### Full text of any H- and EUH-statements referred to under section 3:

H272 May intensify fire; oxidiser.  
H301 Toxic if swallowed.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H400 Very toxic to aquatic life.  
EUH208 Contains a sensitising substance. May produce an allergic reaction.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BEI	Biological Exposure Indices
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DML	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC10	Effect Concentration 10 %
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
GLP	Good Laboratory Practice
HS	Harmonized System of Nomenclature, a standardized international system for classifying goods under the Harmonized System Convention, as drawn up by the World Customs Organization Secretariat
LC0	Lethal Concentration 0 %
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
LOAEC/LOAEL	Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption,

Reason for revision: 3; 6; 7; 8; 9; 11; 12; 15; 16

Publication date: 2010-05-28

Date of revision: 2025-11-14

Revision number: 0600

BIG number: 44605

10 / 11

# PLUMB

storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.